Valve Catalogue

Xiamen Better Silicone Rubber Co., Ltd

2F, No. 165, Tong'an Park, Industry Cluster Zone, Tong'an District, Xiamen, China 361100

Tel: +86 17761004722


Whatsapp: +86 15328825325 Email: info@lsr-molding.com



Outer Dia: 2.8 Inner Dia: 1.4 Height: 2.99



Outer Dia: 3 Inner Dia: 2 Height: 3



Outer Dia: 3.5 Inner Dia: 2.49 Heigh: 4.09



Outer Dia: 3.5 Inner Dia: 1.7 Height: 5.5



Outer Dia: 4 Inner Dia: 2.2 Height: 5.5



Outer Dia: 4.11 Inner Dia: 3.2 Height: 7



Outer Dia: 4.7 Inner Dia: 3.9 Height: 6.8



Outer Dia: 5 Inner Dia: 3 Height: 6.1



Outer Dia: 5.7 Inner Dia: 1.8 Height: 8.2



Outer Dia: 6 Inner Dia: 3 Height: 7.85



Outer Dia: 6 Inner Dia: 3 Height: 7.95



Outer Dia: 6.35 Inner Dia: 3.5 Height: 6.6

Dimension in mm www.silicongasket.com



Outer Dia: 6.4 Inner Dia: 5.5

Height: 10.3



Outer Dia: 6.4 Inner Dia: 4.8 Heigh: 9.5



Outer Dia: 7.1 Inner Dia: 4.6 Height: 6.35



Outer Dia: 7.25 Inner Dia: 5.5 Height: 6.23



Outer Dia: 7.4 Inner Dia: 5 Height: 6.4



Outer Dia: 7.5 Inner Dia: 5.5 Height: 10.35



Outer Dia: 8 Inner Dia: 6 Heigh: 20



Outer Dia: 8.1 Inner Dia: 6.1 Height: 11.5



Outer Dia: 8.8 Inner Dia: 5.8 Height: 15.3



Outer Dia: 9 Inner Dia: 5 Height: 17.74



Outer Dia: 9.4 Inner Dia: 8 Height: 9



Outer Dia: 9.5 Inner Dia: 7.5 Height: 20 Height: 10.35

Dimension in mm



Outer Dia: 9.7 Inner Dia: 7.3 Height: 12.5



Outer Dia: 10 Inner Dia: 3.4 Height: 14.5 Heigh: 20



Outer Dia: 10.8 Inner Dia: 8.9 Height: 23.8




Outer Dia: 11.3 Inner Dia: 7.1 Height: 10.8



Outer Dia: 11.68 Inner Dia: 9 Heigh: 16




Outer Dia: 13 Inner Dia: 9 Height: 14.9



Outer Dia: 24 Inner Dia: 10 Height: 72



Outer Dia: 30 Inner Dia: 20.5 Height: 6.7



Outer Dia: 32 Inner Dia: 30 Height: 70



Outer Dia: 39.2 Inner Dia: 27.1 Height: 58.6



Outer Dia: 44 Inner Dia: 18 Height: 16.5



Outer Dia: 77 Inner Dia: 22 Height: 28.7

Dimension in mm www.silicongasket.com



Outer Dia:7 Hole Dia:1.6 Panel Thickness:1.6



Outer Dia:7.2 Hole Dia:1.3 Panel Thickness:1.6



Outer Dia:7.4 Hole Dia:2 Panel Thickness:0.9



Outer Dia:12 Hole Dia:1.8 Panel Thickness:2.3



Outer Dia:12 Hole Dia:2.5 Panel Thickness:2.17



Outer Dia:14
Hole Dia:4.5
Panel Thickness:4.03



Outer Dia:15.5 Hole Dia:3.4 Panel Thickness:2.24



Outer Dia:16
Hole Dia:6
Panel Thickness:3.25



Outer Dia:20 Hole Dia:1.9 Panel Thickness:2.8




Outer Dia:20.8
Hole Dia:3
Panel Thickness:2.53



Outer Dia:24
Hole Dia:2.5
Panel Thickness:2.5



Outer Dia:24
Hole Dia:1
Panel Thickness:1.5



Outer Dia:25.4 Hole Dia:2.5 Panel Thickness:2.5



Outer Dia:26.5 Hole Dia:2.5 Panel Thickness:2.5



Hole Dia:3.2
Panel Thickness:1.35



Outer Dia:30 Hole Dia:3.82 Panel Thickness:2.3



Outer Dia:31 Hole Dia:3.9 Panel Thickness:4.7



Outer Dia:32.5 Hole Dia:4.3 Panel Thickness:3



Outer Dia:34 Hole Dia:4 Panel Thickness:4.9



Outer Dia:35 Hole Dia:2.4 Panel Thickness:5.09



Outer Dia:35.56 Hole Dia:1.7 Panel Thickness:2



Outer Dia:39 Hole Dia:2.4 Panel Thickness:2



Outer Dia:42 Hole Dia:2.4 Panel Thickness:4.9



Outer Dia:52.8 Hole Dia:4 Panel Thickness:3

Cross-Slit Valve



Outer Dia:4



Outer Dia:4.8



Outer Dia:5



Outer Dia:8



Outer Dia:10.6



Outer Dia:13.4



Outer Dia:16.4



Outer Dia:17.8



Outer Dia:19.2



Outer Dia:36.2

Dimension in mm www.silicongasket.com